

idsa community acquired pneumonia guidelines

idsa Community Acquired Pneumonia Guidelines: A Comprehensive Overview for Clinicians and Patients

idsa community acquired pneumonia guidelines serve as an essential reference point for healthcare providers managing one of the most common and potentially serious respiratory infections. Community acquired pneumonia (CAP) continues to be a significant cause of morbidity and mortality worldwide, and having evidence-based, up-to-date recommendations helps clinicians make informed decisions about diagnosis, treatment, and prevention. These guidelines, developed by the Infectious Diseases Society of America (IDSA) in collaboration with the American Thoracic Society (ATS), provide a structured approach to dealing with CAP across different patient populations and care settings.

In this article, we will explore the key aspects of the IDSA community acquired pneumonia guidelines, including how they guide diagnosis, antibiotic selection, risk stratification, and considerations for special populations. Whether you're a healthcare professional looking to deepen your understanding or a patient seeking clarity on treatment approaches, this overview aims to demystify the guidelines and highlight their practical applications.

Understanding Community Acquired Pneumonia

Before diving into the specifics of the IDSA community acquired pneumonia guidelines, it's helpful to recap what CAP entails. Community acquired pneumonia is an infection of the lung parenchyma occurring in individuals who have not been recently hospitalized or had significant exposure to healthcare environments. It differs from hospital-acquired or ventilator-associated pneumonia in terms of causative pathogens, risk factors, and management strategies.

CAP can range from mild illness requiring outpatient care to severe disease necessitating intensive care unit (ICU) admission. Common symptoms include cough, fever, chest pain, shortness of breath, and fatigue. Because pneumonia can be caused by a variety of bacteria, viruses, and atypical organisms, accurate diagnosis and targeted treatment are critical to ensure favorable outcomes.

Key Elements of the IDSA Community Acquired Pneumonia Guidelines

The IDSA guidelines provide a thorough framework for clinicians to approach CAP systematically. They emphasize evidence-based practices supported by clinical trials and expert consensus, balancing effectiveness with the need to combat antibiotic resistance.

Diagnosis and Initial Evaluation

One of the first steps the guidelines highlight is the importance of confirming pneumonia through clinical assessment combined with radiographic evidence—usually a chest X-ray. The presence of new infiltrates on imaging, along with clinical signs and symptoms, solidifies the diagnosis.

The guidelines also recommend evaluating the severity of illness using validated tools such as the Pneumonia Severity Index (PSI) or CURB-65 score. These scoring systems help predict mortality risk and guide decisions about whether patients can be managed as outpatients or require hospitalization.

Additionally, microbiological testing plays a crucial role, especially for hospitalized patients. The IDSA guidelines suggest collecting sputum cultures, blood cultures, and urinary antigen tests for specific pathogens like *Streptococcus pneumoniae* and *Legionella pneumophila*, particularly in severe cases or when resistant organisms are suspected.

Empiric Antibiotic Therapy

Choosing the right antibiotic regimen is arguably the cornerstone of CAP management. The IDSA community acquired pneumonia guidelines emphasize empiric therapy based on the most likely pathogens, local resistance patterns, and patient-specific factors such as comorbidities and recent antibiotic exposure.

For outpatients who are otherwise healthy and have no recent antibiotic use, the guidelines typically recommend a macrolide (like azithromycin) or doxycycline as first-line agents. However, in areas with high macrolide resistance or patients with comorbidities, a respiratory fluoroquinolone or a beta-lactam plus a macrolide is preferred.

In hospitalized patients, combination therapy with a beta-lactam plus a macrolide or a respiratory fluoroquinolone alone is often advised. This approach covers typical and atypical pathogens, including resistant strains. For ICU patients, broader coverage may be necessary, including agents targeting methicillin-resistant *Staphylococcus aureus* (MRSA) or *Pseudomonas aeruginosa* if risk factors are present.

Duration of Therapy and Follow-Up

The guidelines advocate for a minimum of five days of antibiotic therapy, provided the patient is clinically stable—meaning they have been afebrile for 48 to 72 hours and show signs of improvement. This shorter duration helps reduce antibiotic overuse and resistance while ensuring effective treatment.

Follow-up is also important. Patients should be reassessed clinically, and repeat chest imaging is generally reserved for those who fail to improve or have risk factors for underlying malignancy or other complications.

Special Considerations in the IDSA CAP Guidelines

Managing CAP in Elderly and Immunocompromised Patients

Older adults and immunocompromised individuals often face higher risks of severe pneumonia and complications. The IDSA guidelines stress careful evaluation of these populations, including broader diagnostic workups and consideration of atypical or opportunistic pathogens.

For example, elderly patients may present with less typical symptoms and require more vigilant monitoring. Immunocompromised hosts might need tailored antimicrobial regimens that cover fungal or viral pathogens in addition to bacteria.

Prevention Strategies

Preventing CAP is a key public health goal embedded within the guidelines. Vaccination against influenza and pneumococcus is strongly recommended, especially for high-risk groups. Smoking cessation counseling and management of chronic diseases like COPD and diabetes also contribute to lowering pneumonia incidence.

Addressing Antimicrobial Resistance

The rise of antibiotic-resistant bacteria poses a significant challenge in CAP management. The IDSA community acquired pneumonia guidelines address this by encouraging judicious antibiotic use, local surveillance of resistance patterns, and de-escalation of therapy based on culture results.

This approach helps preserve the effectiveness of existing antibiotics and reduces the spread of resistant organisms.

Integrating the Guidelines into Clinical Practice

While the IDSA community acquired pneumonia guidelines provide a comprehensive blueprint, translating them into real-world practice requires clinical judgment and flexibility. Every patient's presentation is unique, and factors such as comorbidities, allergies, and social determinants of health influence management decisions.

Healthcare providers are encouraged to stay current with guideline updates, incorporate antimicrobial stewardship principles, and engage patients in discussions about treatment plans. Educating patients about the importance of medication adherence, symptom monitoring, and follow-up visits can improve outcomes and reduce hospital readmissions.

Recent Updates and Future Directions

The IDSA frequently revises its guidelines to reflect emerging evidence and evolving microbial landscapes. Recent updates have included more nuanced recommendations regarding outpatient management, the role of biomarkers like procalcitonin in guiding therapy, and enhanced strategies for preventing CAP in vulnerable populations.

Looking ahead, advances in rapid diagnostics, personalized medicine, and vaccine development hold promise for improving pneumonia care further. Clinicians will likely see a growing emphasis on integrating these innovations alongside established guidelines to optimize patient outcomes.

Community acquired pneumonia remains a dynamic field of study, and the IDSA community acquired pneumonia guidelines stand as a pillar supporting clinicians in delivering high-quality, evidence-based care. By understanding and applying these guidelines thoughtfully, healthcare professionals can navigate the complexities of CAP with confidence and compassion.

Frequently Asked Questions

What are the IDSA guidelines for the initial empirical treatment of community-acquired pneumonia (CAP)?

The IDSA guidelines recommend empirical treatment based on patient setting and severity. For outpatients without comorbidities, a macrolide or doxycycline is recommended. For outpatients with comorbidities or recent antibiotic use, a respiratory fluoroquinolone or beta-lactam plus macrolide is advised. Inpatients typically receive a beta-lactam plus macrolide or monotherapy with a respiratory fluoroquinolone.

How do the IDSA guidelines classify the severity of community-acquired pneumonia?

The IDSA guidelines use the Pneumonia Severity Index (PSI) and CURB-65 score to classify CAP severity. These tools help determine the need for hospitalization and guide treatment decisions based on factors like age, comorbidities, vital signs, and laboratory findings.

What is the recommended duration of antibiotic therapy for community-acquired pneumonia according to IDSA guidelines?

IDSA guidelines recommend a minimum of 5 days of antibiotic therapy for CAP, provided the patient is clinically stable for 48-72 hours with no fever and improving symptoms. Longer durations may be necessary for complicated cases or certain pathogens.

Does the IDSA recommend routine use of corticosteroids in

community-acquired pneumonia management?

The IDSA guidelines do not recommend routine corticosteroid use for all CAP patients. However, corticosteroids may be considered in severe cases or specific situations such as refractory septic shock or underlying conditions like COPD exacerbations.

How do the IDSA guidelines address vaccination for prevention of community-acquired pneumonia?

The IDSA emphasizes pneumococcal and influenza vaccinations as key preventive measures against CAP. Pneumococcal vaccines (PCV13, PPSV23) are recommended for adults over 65 and those with certain risk factors, while annual influenza vaccination is recommended for all persons over 6 months.

What diagnostic tests does the IDSA recommend before starting treatment for community-acquired pneumonia?

The IDSA guidelines recommend chest radiography to confirm diagnosis. Sputum and blood cultures are advised for hospitalized patients with severe CAP or those at risk for resistant pathogens. Urinary antigen tests for *Streptococcus pneumoniae* and *Legionella* may be used in select cases.

How do the IDSA guidelines suggest managing patients with community-acquired pneumonia who have risk factors for drug-resistant pathogens?

For patients with risk factors such as recent antibiotic use, hospitalization, or immunosuppression, the IDSA guidelines recommend broader empirical coverage including agents active against drug-resistant *Streptococcus pneumoniae* and MRSA, guided by local resistance patterns and clinical judgment.

Additional Resources

****IDSA Community Acquired Pneumonia Guidelines: A Comprehensive Review****

idsa community acquired pneumonia guidelines represent a cornerstone in the management of one of the most common and potentially severe infectious diseases affecting adults worldwide. Developed by the Infectious Diseases Society of America (IDSA) in collaboration with the American Thoracic Society (ATS), these guidelines provide evidence-based recommendations for diagnosis, treatment, and prevention of community-acquired pneumonia (CAP). This article delves into the critical aspects of the IDSA community acquired pneumonia guidelines, examining their clinical relevance, updates, and impact on patient outcomes.

Understanding the IDSA Community Acquired

Pneumonia Guidelines

The IDSA community acquired pneumonia guidelines were first introduced to standardize the approach to CAP, a respiratory infection acquired outside of hospital settings. Given the heterogeneity of CAP pathogens and patient presentations, the guidelines serve as a vital tool for clinicians to optimize care while reducing unnecessary antibiotic use and resistance.

At its core, the IDSA guidelines emphasize accurate diagnosis, appropriate risk stratification, and tailored antimicrobial therapy. They integrate clinical judgment with diagnostic tools such as chest radiography, microbiologic testing, and severity assessment scores to guide treatment decisions. The guidelines also address the nuances of outpatient versus inpatient management, including the choice of empiric antibiotics based on patient risk factors and local resistance patterns.

Key Updates in the Latest IDSA CAP Guidelines

The most recent iteration of the IDSA community acquired pneumonia guidelines incorporates several advances reflecting evolving microbial landscapes and emerging antibiotic resistance. Noteworthy updates include:

- **Enhanced Risk Stratification:** Incorporation of the Pneumonia Severity Index (PSI) and CURB-65 scores to determine hospitalization needs and mortality risk.
- **Antibiotic Stewardship:** Recommendations to limit broad-spectrum antibiotic use unless clearly indicated, aiming to curb multidrug-resistant organisms (MDROs).
- **Pathogen Identification:** Greater emphasis on obtaining sputum cultures and blood cultures in severe cases or ICU admissions to tailor therapy.
- **Vaccination Strategies:** Strong advocacy for pneumococcal and influenza vaccinations as preventive measures.

These updates highlight a shift towards personalized medicine, balancing effective treatment with public health concerns such as antimicrobial resistance.

Diagnostic and Treatment Recommendations

The diagnostic approach outlined in the IDSA community acquired pneumonia guidelines prioritizes clinical evaluation supplemented by imaging and microbiological studies. Chest X-rays remain the gold standard for confirming pneumonia, while laboratory tests help identify causative organisms and assess severity.

Empiric Antibiotic Therapy

One of the most critical components of the guidelines is the recommendation for empiric antibiotic therapy, stratified by patient setting and risk factors:

- **Outpatient Management:** For previously healthy adults without comorbidities or recent antibiotic use, a macrolide (e.g., azithromycin) or doxycycline is recommended.
- **Outpatients with Comorbidities:** Combination therapy with a beta-lactam plus a macrolide or monotherapy with a respiratory fluoroquinolone is advised.
- **Inpatient Non-ICU:** Beta-lactam plus macrolide or respiratory fluoroquinolone monotherapy is the preferred regimen.
- **ICU Patients:** A beta-lactam plus either azithromycin or a fluoroquinolone is recommended, with consideration of MRSA or *Pseudomonas* coverage based on risk factors.

This stratified approach aims to maximize therapeutic efficacy while minimizing adverse effects and resistance development.

Addressing Antimicrobial Resistance

The IDSA community acquired pneumonia guidelines acknowledge the growing challenge of antimicrobial resistance. They recommend judicious antibiotic selection guided by local antibiograms and advocate for de-escalation based on culture results. This stewardship approach helps preserve antibiotic efficacy and reduces the risk of *Clostridioides difficile* infections.

Clinical Implications and Challenges

While the IDSA community acquired pneumonia guidelines provide a robust framework, their application in clinical practice faces several challenges. Variability in healthcare settings, patient comorbidities, and pathogen prevalence can complicate adherence. Additionally, the emergence of atypical pathogens and viral pneumonias, including SARS-CoV-2, necessitates continual guideline updates.

Comparative Perspectives: IDSA vs. Other Guidelines

When compared to other international guidelines such as those by the British Thoracic Society (BTS) or the European Respiratory Society (ERS), the IDSA community acquired pneumonia guidelines tend to emphasize broader microbiological testing and more conservative use of fluoroquinolones, reflecting differences in resistance patterns and healthcare infrastructure.

- **BTS Guidelines:** Generally favor amoxicillin as first-line therapy for mild CAP in outpatients and have a stronger focus on clinical severity scores to guide admission.
- **ERS Guidelines:** Highlight pathogen-specific therapy and recommend more restrictive antibiotic use in mild cases.

These variations underscore the importance of regional adaptation of the IDSA recommendations.

Future Directions and Research Needs

The dynamic nature of CAP epidemiology necessitates ongoing research and updates to the IDSA community acquired pneumonia guidelines. Areas of focus include:

- Improved rapid diagnostic tools for pathogen identification
- Integration of biomarkers such as procalcitonin in treatment algorithms
- Strategies for managing viral-bacterial co-infections
- Personalized medicine approaches based on host immune status

Advancements in these domains will likely refine guideline recommendations, improving patient outcomes and resource utilization.

The IDSA community acquired pneumonia guidelines remain an essential resource for clinicians, balancing rigorous scientific evidence with practical considerations. Their ongoing evolution reflects the complexities of managing a common yet diverse infectious disease, reinforcing the need for tailored, evidence-based approaches in respiratory medicine.

[Idsa Community Acquired Pneumonia Guidelines](#)

idsa community acquired pneumonia guidelines: Community-Acquired Pneumonia
 Stefano Aliberti, James D. Chalmers, Mathias W. Pletz, 2014-03-01 Community-acquired pneumonia remains the leading cause of hospitalisation for infectious disease in Europe, and a major cause of morbidity and mortality. This issue of the European Respiratory Monograph brings together leading experts in pulmonology, infectious diseases and critical care from around the world to present the most recent advances in the management of community-acquired pneumonia. It provides a comprehensive overview of the disease, including chapters on microbiology, pathophysiology, antibiotic therapy and prevention, along with hot topics such as viral pneumonias and pneumonia associated with inhaled corticosteroids.

idsa community acquired pneumonia guidelines: Community Acquired Pneumonia:

Controversies and Questions, an Issue of Infectious Disease Clinics Thomas M. File Jr., 2013-03-28 Pneumonia is the leading cause of death due to infectious disease. This issue of Infectious Disease Clinics, guest edited by Tom File, focuses on the controversies and questions surrounding community-acquired pneumonia, including the potential benefits of identifying biomarkers for management of CAP (which could someday become a part of routine diagnostic testing for CAP), the best therapies for influenza/viral causes of pneumonia (the most common form of the disease in children), and clinical scoring tools to help predict long term outcomes. The issue also discusses how to approach MRSA as a cause of CAP and how to approach the non-responding patient.

idsa community acquired pneumonia guidelines: *Outpatient Community-Acquired Pneumonia in Adults GUIDELINES Pocketcard* Infectious Diseases Society of America (Idsa), Infectious Diseases Society of America Staff, American Thoracic Society (Ats), American Thoracic Society Staff, 2010-09 GUIDELINES Pocketcards are multifold pocketcards containing society-endorsed, evidence-based treatment guidelines in a brief algorithmic format that is most preferred by practising clinicians, quality managers, nurses, educators, and medical students. The Outpatient Community-Acquired Pneumonia GUIDELINES Pocketcard is endorsed by the Infectious Diseases Society of America (IDSA) and the American Thoracic Society (ATS), and is based on the latest IDSA/ATS guidelines. This practical quick-reference tool contains screening, severity assessment instruments, diagnostic and treatment recommendations, an initial management algorithm, and drug therapy and dosing information. It provides all that is needed to make accurate clinical decisions at the point of care including key points; diagnostic management criteria; disease assessment; severity criteria; initial management algorithm; initial empirical antibiotic therapy; recommended antimicrobials; current medication tables with brand and generic names; and detailed drug information including strengths, formulations, and comments. Applications include point-of-care, education, QI interventions, clinical trials, medical reference, and clinical research.

idsa community acquired pneumonia guidelines: *Johns Hopkins POC-IT Center ABX Guide: Diagnosis & Treatment of Infectious Diseases* John G. Bartlett, Paul G. Auwaerter, Paul A. Pham, 2010-10-25 The Johns Hopkins POC-IT Center ABX Guide, Second Edition continues to provide current, authoritative, comprehensive information on anti-microbial agents, infectious diseases, and commonly-encountered pathogens in one portable volume. Written by experts at the world-renowned Johns Hopkins University School of Medicine, this must-have resource features expert recommendations, clinical and diagnostic decision-making tools, and drug-to-drug interactions. Concise, thorough, and current, The Johns Hopkins ABX Guide, Second Edition is designed for quick reference and comprehension. Information is featured in an easy-to-access format that facilitates rapid application of knowledge at the point of care. Jones & Bartlett Learning is the Official Print and Mobile Provider of the Johns Hopkins ABX Guide.

idsa community acquired pneumonia guidelines: Community-Acquired Pneumonia American Thoracic Society, 2010-07-06 Guidelines Pocketcards are multi-folded cards containing society-endorsed, evidence-based treatment guidelines in a brief step-by-step format that is most preferred by practicing clinicians, quality managers, nurses, educators, and medical students. The Community-Acquired Pneumonia Guidelines Pocketcard is endorsed by the Infectious Diseases Society of America (IDSA) and American Thoracic Society (ATS) and is based on the latest IDSA and ATS guidelines. This practical quick-reference tool contains screening, diagnostic, treatment algorithm, drug therapy, dosing information, patient monitoring, and counseling points. It provides all that is needed to make accurate clinical decisions at the point of care.

idsa community acquired pneumonia guidelines: The Washington Manual of Critical Care Marin Kollef, Warren Isakow, 2012-02-10 The Washington Manual of Critical Care is a concise pocket manual for physicians and nurses. It is distinguished from the multitude of other critical care handbooks on the market by its consistent presentation of algorithms displaying the decision-making pathways used in evaluating and treating disorders in the ICU. The new edition transitions to a full color format and will include coverage of Deep Venous Thrombosis/Pulmonary Embolism,

fetal-maternal critical care, C difficile infection, and alternative hemodynamic monitoring.

idsa community acquired pneumonia guidelines: Critical Care Obstetrics Jeffrey P. Phelan, Torre L. Halscott, Leslie A. Moroz, Arthur J. Vaught, Antonio F. Saad, Amir A. Shamshirsaz, 2024-03-15 Critical Care Obstetrics Improve medical outcomes for both mothers and children with this essential guide For the first time in decades, maternal mortality rates are climbing in the United States. Factors including lack of access to prenatal care, un- or underinsured populations, rising rates of cardiovascular disease, and more combine to make pregnancy and childbirth more dangerous prospects. In this environment, the study of critical care obstetrics has never been more essential. Critical Care Obstetrics, Seventh Edition a fully updated guide to the medical management of serious conditions in pregnancy and childbirth. Beginning with basic principles, it surveys the potential serious complications occurring in pregnancy and delivery and the techniques and procedures for maximizing patient outcomes for both pregnant people and fetuses. This clear, accessible text promises to continue the essential work of earlier editions. Readers of the seventh edition of Critical Care Obstetrics will also find: Detailed protocols for implementing life-saving treatments in emergencies New chapters on topics including ECMO, antibiotics, and pneumonia Authorship by internationally renowned experts in emergency obstetrics Critical Care Obstetrics is ideal for working clinical obstetricians and for trainees in obstetrics and gynecology.

idsa community acquired pneumonia guidelines: Community-Acquired Respiratory Infections Charles H. Nightingale, Paul Ambrose, Thomas M. File, Jr., 2003-08-20 'Up-to-date information. The book is well supplied with references that are easily accessible.' - Doody's Electronic Journal

idsa community acquired pneumonia guidelines: Sepsis Jordi Rello, Marcos I. Restrepo, 2008-06-26 Sepsis is an important public health problem around the world. Severe sepsis carries significant morbidity, mortality and high costs. The incidence of sepsis is increasing because of the aging population, the growing number of immunocompromised hosts, the increasing use of invasive procedures, and, to a lesser extent, antibiotic resistance among pathogens. Despite recent advances in the pathogenesis, diagnosis, and therapeutic approaches the mortality rate associated with this condition remains high. Therefore, the goal of Sepsis: New Strategies is to review novel targets to be considered in patients with severe sepsis and to assess new developments for patients with sepsis originating in the respiratory tract.

idsa community acquired pneumonia guidelines: Critical Care Update 2023 Rajesh Chandra Mishra, Sheila Nainan Myatra, Deepak Govil, Subhash Todi, 2023-02-22 SECTION 1: Sepsis Diagnosis and Management 1. Precision Medicine in Septic Shock 2. Optimal Blood Pressure Target in Patients with Septic Shock 3. The Surviving Sepsis Campaign Guidelines in 2022: What is New and what has Changed? 4. Individualizing Hemodynamics in Septic Shock 5. Adjunctive Therapies in Sepsis: Current Status 6. Refractory Septic Shock: What are the Options 7. Steroids in Sepsis and Clinical Outcomes 8. Candida auris: Detection, Prevention, and Management 9. Empirical Antifungal Treatment: Is It Justified? 10. Role of Steroids in Severe Community acquired Pneumonia 11. Procalcitonin: Can It Differentiate Bacterial versus Fungal Infection SECTION 2: Antimicrobial Therapy in ICU 12. Optimizing Antimicrobial Dosing in the Intensive Care Unit 13. Antibiotic within 1 hour: Should this be Applied to all Patients with Sepsis? 14. Dark Side of Antibiotics 15. Optimal Duration of Antibiotic Therapy 16. Cefiderocol: Is this the Answer to Multidrug-resistant Gram-negative Infection? SECTION 3: Respiratory Critical Care 17. Management of Pneumonia in Intensive Care 18. Reverse Triggering during Controlled Ventilation: A Frequent Dysynchrony with Various Consequences 19. Use of Multiplex Polymerase Chain Reaction in Pneumonia 20. Management of Complicated Pleural Effusion 21. Hepatic Hydrothorax 22. Submassive Pulmonary Embolism 23. Role of Magnesium in Respiratory Failure 24. ARDS in Children: How is it Different? 25. Safe Tracheal Intubation in Intensive Care Unit 26. Lateral Positioning: Does it Work? 27. Dyspnea in Patients on Invasive Ventilation: Clinical Impact 28. Complications of Noninvasive Ventilation Failure SECTION 4: Mechanical Ventilation 29. Setting Optimum PEEP 30. Open Lung or Keep Lung Closed: Which Strategy to Choose? 31. Driving Pressure or Mechanical Power: Which

One to Monitor? 32. Measuring Respiratory Drive and Muscle Effort 33. Oxygenation Targets in Mechanically Ventilated Critically-ill Patients 34. Ventilatory Ratio: A New Monitoring Tool 35. Helmet NIV: Is it a Game Changer? 36. Electrical Impedance Tomography: Current Application 37. Automatic Tube Compensation: Does it have a Role? 38. High-frequency Oscillatory Ventilation in Pediatric Acute Respiratory Distress Syndrome 39. Noninvasive Ventilation in Pediatrics: Current Status SECTION 5: Cardiovascular Critical Care 40. Crystalloid Resuscitation: Finding the Balance 41. Artificial Intelligence Tools to Optimize Hemodynamics in the ICU 42. Aggressive or Restrictive Fluid Resuscitation 43. Predicting Hypotension: Is It Useful? 44. Vasopressors: How Early? 45. Myocardial Injury after Noncardiac Surgery 46. Use of Vasopressin during Cardiac Arrest SECTION 6: Echocardiography and Ultrasound 47. Advances in Intensive Care Unit Echocardiography 48. Transesophageal Echocardiography: Is It Preferable in the Intensive Care Unit? 49. ECHO Features of Pulmonary Hypertension and Increased Left Atrial Pressures 50. Role of Echocardiography in Shock State 51. Use of Echocardiography in Assessing Fluid Responsiveness 52. Venous Excess Ultrasound Score (VExUS) SECTION 7: Nephrology, Fluids, Acid-Base Balance and Electrolytes Balance 53. Fluid Management in Acute Kidney Injury 54. Sepsis-associated Acute Kidney Injury: Common but Poorly Understood 55. Delayed versus Very Delayed Renal Replacement Therapy 56. Plasma Exchange in Intensive Care Unit: Current Status 57. Acute Kidney Injury Care Bundle 58. Biomarker-driven Therapy in AKI 59. How to Approach Dyselectrolytemias in a Patient on CRRT? SECTION 8: Neurocritical Care 60. Prognostication in

idsa community acquired pneumonia guidelines: The Brigham Intensive Review of Internal Medicine Ajay Singh (M.D.), Joseph Loscalzo, 2012 Based upon the popular review course from Harvard Medical School, The Brigham Intensive Review of Internal Medicine is a comprehensive study guide for the American Board of Internal Medicine certification or maintenance of certification examination as well as for general practice review by physicians and residents. This authoritative, thorough resource provides in-depth coverage on all specialties of internal medicine, as well as palliative care, occupational medicine, psychiatry, and geriatric medicine. Editors Ajay K. Singh and Joseph Loscalzo recruited leading authorities from Harvard as well as former chief residents at Brigham and Women's Hospital to contribute to this book. Featuring over 600 board review questions, with numerous tables and figures, chapters offer detailed discussions with emphasis on essential learning points. Over 100 chapters are organized into 10 broad sections, with one additional section dedicated to board simulation. As the required content for the American Board of Internal Medicine continues to evolve, studying can prove challenging. The Brigham Intensive Review of Internal Medicine is the ideal study guide for anyone preparing for certification or recertification.

idsa community acquired pneumonia guidelines: World Clinics: Pulmonary & Critical Care Medicine Surinder K Jindal, Randeep Guleria, 2013-02-28 The World Clinics: Pulmonary and Critical Care Medicine series brings pulmonary specialists fully up to date with the latest developments in different branches of respiratory medicine. This first manual focuses on pneumonias. Beginning with an introduction to the epidemiology and risk factors of pneumonia the following chapters discuss diagnosis and treatment of different strains of pneumonia in adults and children. Pneumonia in immune-suppressed patients, community acquired and zoonotic (transferrable between species) pneumonias are also covered. More than 80 full colour images and illustrations are included to enhance learning. Key points Brings pulmonary specialists up to date with latest developments in diagnosis and treatment of pneumonias Discusses different strains in both adults and children Covers pneumonia in immune-suppressed patients, community acquired and zoonotic pneumonias Includes more than 80 full colour images and illustrations

idsa community acquired pneumonia guidelines: Current Trends and Concerns in Infectious Diseases I. W. Fong, 2020-03-06 A follow-up to Emerging Issues and Controversies in Infectious Diseases, this volume provides a comprehensive review of topical issues in infectious diseases, highlighting the controversies related to the newest findings and recommendations. Coverage includes trends and debates in HIV research, community-acquired pneumonia, H. pylori,

progress in Hepatitis C treatment paired with the lack of progress on Hepatitis B, and the effects of climate change on infectious disease epidemiology, among others. This is an essential resource for practicing and academic physicians, investigators, residents, and fellows focused on infectious diseases, infection control, public health, and global health.

idsa community acquired pneumonia guidelines: The Washington Manual of Critical Care Marin H. Kollef, Timothy J. Bedient, Warren Isakow, 2008 Prepared by residents and faculty at the Washington University School of Medicine, this pocket manual contains easy-to-read algorithms for the management of more than 80 medical and surgical problems arising in the intensive care unit. Chapters focus on specific problems and the algorithms provide straightforward approaches to the management of these issues. Coverage includes a section on procedures commonly performed in the intensive care unit. Appendices include common equations in the ICU, drug-drug interactions, and common drug dosages and side effects.

idsa community acquired pneumonia guidelines: Community-Acquired Pneumonia Antoni Torres, Rosario Menendez, 2008-07-31 Community-Acquired Pneumonia (CAP) refers to pneumonia acquired outside of hospitals or extended-care facilities, and is distinct from Nosocomial or hospital-acquired pneumonia, which is a separate disease entity. It is one of the most common respiratory infections and presents one of the major health problems today, with an incidence that ranges from eight to fifty cases per thousand individuals each year. Mortality is still very high and yet the risk factors are very well known. Many of these are related to antibiotic treatment; delay in administration, inadequacy of empiric antibiotics and lack of adherence to guidelines for treatment are all clearly associated with poor treatment outcomes. Following a description of the epidemiology and microbial etiology of ambulatory and hospitalized CAP, this book provides an in-depth review of the important new advances in therapeutics, including management of drug resistance to the three major classes of antibiotics used for treatment of CAP: β -lactams, macrolides and quinolones. All of them have advantages and disadvantages and these are put into perspective. This book highlights guideline recommendations and presents a balanced analysis to help physicians deliver the highest standard of care. In addition, the authors provide an insight into the 10% of patients who do not respond to antibiotics and could benefit from adjunctive therapies, some still under review. This volume will be welcomed by pulmonologists and all clinicians involved in managing community-acquired pneumonia.

idsa community acquired pneumonia guidelines: Johns Hopkins ABX Guide 2012 John G. Bartlett, Paul A. Pham, 2011-10-06 Jones & Bartlett Learning is the Official Print and Mobile Provider of the Johns Hopkins POC-IT Center ABX Guide. Thoroughly revised and updated for 2012, the Johns Hopkins ABX Guide, Third Edition continues to provide current, authoritative and comprehensive information on anti-microbial agents, infectious disease and commonly encountered pathogens, in one portable volume. Written by experts at the world-renowned Johns Hopkins University School of Medicine, this must-have resource features expert recommendations, clinical and diagnostic decision-making tools, and drug-to-drug interactions. Concise, thorough, and current, The Johns Hopkins ABX Guide, Second Edition is designed for quick reference and comprehension. Information is featured in an easy-to-access format that facilitates rapid application of knowledge at the point of care.

idsa community acquired pneumonia guidelines: All-in-One Care Planning Resource Pamela L. Swearingen, 2012-01-01 The only book featuring nursing care plans for all core clinical areas, Swearingen's All-In-One Nursing Care Planning Resource, 4th Edition provides 100 care plans with the nursing diagnoses and interventions you need to know to care for patients in all settings. It includes care plans for medical-surgical, maternity/OB, pediatrics, and psychiatric-mental health, so you can use just one book throughout your entire nursing curriculum. This edition includes a new care plan addressing normal labor and birth, a new full-color design, new QSEN safety icons, new quick-reference color tabs, and updates reflecting the latest NANDA-I nursing diagnoses and collaborative problems. Edited by nursing expert Pamela L. Swearingen, this book is known for its clear approach, easy-to-use format, and straightforward rationales. NANDA-I nursing diagnoses are

incorporated throughout the text to keep you current with NANDA-I terminology and the latest diagnoses. Color-coded sections for medical-surgical, maternity, pediatric, and psychiatric-mental health nursing care plans make it easier to find information quickly. A consistent format for each care plan allows faster lookup of topics, with headings for Overview/Pathophysiology, Health Care Setting, Assessment, Diagnostic Tests, Nursing Diagnoses, Desired Outcomes, Interventions with Rationales, and Patient-Family Teaching and Discharge Planning. Prioritized nursing diagnoses are listed in order of importance and physiologic patient needs. A two-column format for nursing assessments/interventions and rationales makes it easier to scan information. Detailed rationales for each nursing intervention help you to apply concepts to specific patient situations in clinical practice. Outcome criteria with specific timelines help you to set realistic goals for nursing outcomes and provide quality, cost-effective care. NEW! Care plan for normal labor and birth addresses nursing care for the client experiencing normal labor and delivery. UPDATED content is written by practicing clinicians and covers the latest clinical developments, new pharmacologic treatments, patient safety considerations, and evidence-based practice guidelines. NEW full-color design makes the text more user friendly, and includes NEW color-coded tabs and improved cross-referencing and navigation aids for faster lookup of information. NEW! Leaf icon highlights coverage of complementary and alternative therapies including information on over-the-counter herbal and other therapies and how these can interact with conventional medications.

idsa community acquired pneumonia guidelines: Mandell, Douglas, and Bennett's Principles and Practice of Infectious Diseases John E. Bennett, MD, MACP, Raphael Dolin, MD, Martin J. Blaser, MD, 2014-08-28 After thirty five years, Mandell, Douglas, and Bennett's Principles and Practice of Infectious Diseases, 8th Edition is still the reference of choice for comprehensive, global guidance on diagnosing and treating the most challenging infectious diseases. Drs. John E. Bennett and Raphael Dolin along with new editorial team member Dr. Martin Blaser have meticulously updated this latest edition to save you time and to ensure you have the latest clinical and scientific knowledge at your fingertips. With new chapters, expanded and updated coverage, increased worldwide perspectives, and many new contributors, Mandell, Douglas, and Bennett's Principles and Practice of Infectious Diseases, 8th Edition helps you identify and treat whatever infectious disease you see. Get the answers to questions you have with more in-depth coverage of epidemiology, etiology, pathology, microbiology, immunology, and treatment of infectious agents than you'll find in any other infectious disease resource. Find the latest diagnoses and treatments for currently recognized and newly emerging infectious diseases, such as those caused by avian and swine influenza viruses. Put the latest knowledge to work in your practice with new or completely revised chapters on influenza (new pandemic strains); new Middle East respiratory syndrome (MERS) virus; probiotics; antibiotics for resistant bacteria; antifungal drugs; new antivirals for hepatitis B and C; Clostridium difficile treatment; sepsis; advances in HIV prevention and treatment; viral gastroenteritis; Lyme disease; Helicobacter pylori; malaria; infections in immunocompromised hosts; immunization (new vaccines and new recommendations); and microbiome. Benefit from fresh perspectives and global insights from an expanded team of international contributors. Find and grasp the information you need easily and rapidly with newly added chapter summaries. These bulleted templates include diagnosis, therapy, and prevention and are designed as a quick summary of the chapter and to enhance relevancy in search and retrieval on Expert Consult. Stay current on Expert Consult with a thorough and regularly scheduled update program that ensures access to new developments in the field, advances in therapy, and timely information. Access the information you need easily and rapidly with new succinct chapter summaries that include diagnosis, therapy, and prevention. Experience clinical scenarios with vivid clarity through a richly illustrated, full-color format that includes 1500 photographs for enhanced visual guidance.

idsa community acquired pneumonia guidelines: Logan Turner's Diseases of the Nose, Throat and Ear, 10Ed Arthur Turner, 1987-12-30 'I am unaware of any textbook which provides such comprehensive coverage of the field and doubt that this work will be surpassed in the foreseeable future, if ever!' From the foreword by Robert C. Moellering, Jr., M.D, Shields

Warren-Mallinckrodt Professor of Medical Research, Harvard Medical School, USA Kucers' The Use of Antibiotics is the leading major reference work in this vast and rapidly developing field. More than doubled in length compared to the fifth edition, the sixth edition comprises 3000 pages over 2-volumes in order to cover all new and existing therapies, and emerging drugs not yet fully licensed. Concentrating on the treatment of infectious diseases, the content is divided into 4 sections: antibiotics, anti-fungal drugs, anti-parasitic drugs and anti-viral drugs, and is highly structured for ease of reference. Within each section, each chapter is structured to cover susceptibility, formulations and dosing (adult and paediatric), pharmacokinetics and pharmacodynamics, toxicity and drug distribution, detailed discussion regarding clinical uses, a feature unique to this title. Compiled by an expanded team of internationally renowned and respected editors, with a vast number of contributors spanning Europe, Africa, Asia, Australia, South America, the US and Canada, the sixth edition adopts a truly global approach. It will remain invaluable for anyone using antimicrobial agents in their clinical practice and provides in a systematic and concise manner all the information required when treating infections requiring antimicrobial therapy. Kucers' The Use of Antibiotics is available free to purchasers of the books as an electronic version on line or on your desktop: It provides access to the entire 2-volume print material. It is fully searchable, so you can find the relevant information you need quickly. Live references are linked to PubMed referring you to the latest journal material. Customise the contents - you can highlight sections and make notes. Comments can be shared with colleagues/tutors for discussion, teaching and learning. The text can also be reflowed for ease of reading. Text and illustrations copied will be automatically referenced to Kucers' The Use of Antibiotics.

idsa community acquired pneumonia guidelines: Oxford Textbook of Respiratory Critical Care Suveer Singh, Paolo Pelosi, Andrew Conway Morris, 2023-11-15 Respiratory critical care is essential to modern critical care medicine. To successfully support critically ill patients, an understanding of specific lung conditions and syndromes, their pathophysiological basis, and evidence-based management strategies is of vital importance. The Oxford Textbook of Respiratory Critical Care provides an authoritative account of respiratory critical care medicine with a clear focus on how to manage respiratory disease in the critically ill. The fundamentals of pathophysiology, diagnosis, and treatment, for respiratory diseases and conditions are outlined with a specific focus on management in the critical care setting. Across 66 chapters, common and unusual respiratory conditions are included as well as those aspects of pulmonary disease in which the management in critical illness is unique. The text equips the reader with up-to-date knowledge of clinical practice for the respiratory system, lung diseases within critical care medicine and the impact of critical illness on lung biology. Each chapter highlights advances in the field as well as emphasising the importance of getting the basics right. Key messages, controversies, and directions to further research points allow both focused reading and deeper engagement. A dedicated chapter to COVID-19, and sections throughout explore the impact of this novel virus in specific areas of respiratory critical care. Edited and written by an international group of recognized experts from many disciplines, this essential textbook is relevant to medics globally. This is an indispensable guide for clinicians, researchers and nurses working in Critical Care, Anaesthesia, Respiratory Medicine, Acute Medicine, and Emergency Medicine.

Related to idsa community acquired pneumonia guidelines

Historiku i gjuhës shqipe në familjen e gjuhëve indoevropiane Gjuha shqipe bën pjesë në familjen e gjuhëve indoevropiane, ku futen gjuhët indo-iranike, greqishtja, gjuhët romane, gjuhët sllave, gjuhët gjermane, etj. Ajo formon një degë të

Gjuhët indo-evropiane - Wikipedia Gjuhë të veçanta të kësaj familjeje gjuhësh fliten nga më shumë se 100 milionë folës amtare, si për shembull hindi, spanjisht, anglisht, portugalisht, bengali, Gjuha Shqipe, rusisht, frëngjisht,

Vendi i shqipes në familjen e gjuhëve indoevropiane Në gjuhësi me Gjuhë indo-evropiane njihet një familje (grup) gjuhësh dhe dialektesh me prejardhje të përbashkët, të cilat fliten sot në pjesën

më të madhe të botës

Shqipja, gjuha që lindi gjuhët indo-evropiane - Në shekujt XIX dhe XX shkenca e gjuhësisë krahasuese bëri të mundur që studiuesit të përcaktonin origjinën e gjuhës shqipe dhe lidhjet e saj me gjuhët e tjera

Gjuha Shqipe si Pjesë e Gjuhëve Indoevropiane - Prezi Gjuha shqipe ka një pozicion të veçantë si pjesë e gjuhëve indoevropiane, me historinë dhe specifikën e saj unike që e bëjnë atë të rëndësishme për shkencën e gjuhës

Gjuha Shqipe Gjuhë Indoevropiane | PDF - Scribd Origjina e fjalëve të gjuhës shqipe Rreth dy mijë fjalë të shqipes janë me origjinë indoevropiane: kokë, ditë, natë, dimër, ujë, ha, pi, jam, kam, zog, dem, elb etj. Shqipja formon një de-gë më

Gjuha shqipe - gjuhë indoevropiane by Arta Behrami on Prezi Gjuha shqipe formon një degë më vete, në familjen e gjuhëve evropiane. Popullsi që flisnin të njëjtin tip gjuhe, në periudhën ndërmjet viteve 6500 - 5500 para erës sonë,

Gjuhët Indoevropiane dhe Gjuha Shqipe - Perseu Në grupin e gjuhëve semite bëjnë pjesë: gjuha babilonase, gjuha asirike, hebraishtja e vjetër, gjuha fenikase, gjuha arameike dhe gjuha sirike, arabishtja, etiopishtja e

GJUHËT INDOEVROPIANEGJUHA SHQIPE - Dielli | The Sun Në vitin 1861 August Shlajeri botoi veprën e tij të madhe Përmbledhje e gramatikës krahasuese të gjuhëve indogjermane. Tentoi ta bëjë edhe rikonstruktimin e gjuhës proto

Gjuha shqipe - Wikipedia Shqipja, si gjuhë moderne, përfaqëson një degë më vete në familjen e gjuhëve indo-evropiane. Shkruhet me shkronja latine

What is HbA1c? | Blood Test | Target Levels | Diabetes UK What is HbA1c? HbA1c is your average blood glucose (sugar) levels for the last two to three months. If you have diabetes, an ideal HbA1c level is 48mmol/mol (6.5%) or below. If you're at

HbA1c and Time in Range Explained - CVD Glucose in the blood can stick to the haemoglobin, making a substance called 'glycated haemoglobin', also known as haemoglobin A1c or HbA1c for short. The more glucose in your

What is HbA1c? - Definition, Units, Conversion, Testing & Control HbA1c is a term commonly used in relation to diabetes. This guide explains what HbA1c is, how it differs from blood glucose levels and how it's used for diagnosing diabetes

Diagnosis in adults | Diagnosis | Diabetes - type 2 | CKS | NICE Random plasma glucose of 11.1 mmol/L or more in the presence of symptoms or signs of diabetes. If the person is symptomatic, a single abnormal HbA1c or fasting plasma glucose

What is HbA1c and what's the HbA1c normal range? What is the HbA1c normal range? The HbA1c normal range is from 20 to 39mmol/mol (4 to 5.7%) and is the same for everyone, regardless of age or sex. However,

A1C: What It Is, Test, Levels & Chart - Cleveland Clinic Healthcare providers do A1C tests in one of two ways: A phlebotomist takes a blood sample from your vein and sends it to a lab for analysis (the most common form of the test). A provider gets

HbA1c - Understand the Test - Lab Tests Online-UK Learn about the HbA1c test, also called glycated haemoglobin and haemoglobin A1c, used to screen for and diagnose diabetes and prediabetes. Understand what to expect

What is HbA1c? | Preventing Diabetes HbA1c is a blood test that measures average blood glucose over the last 8-12 weeks. Glucose in the blood sticks to the red blood cells, making a substance called 'glycated haemoglobin',

Blood Glucose Test (Blood Sugar) and HbA1c - Patient If you have diabetes, your doctor or nurse may test your HbA1c levels every 3-6 months. This test measures your recent average blood glucose levels

Hemoglobin A1c (HbA1c): What to know if you have diabetes or Hemoglobin A1c (HbA1c) is a measure of average blood sugar. Learn how it's measured, what's considered normal HbA1c, what HbA1c level you'll want to target if you have

Office 365 login Collaborate for free with online versions of Microsoft Word, PowerPoint, Excel, and OneNote. Save documents, spreadsheets, and presentations online, in OneDrive

Outlook Access your email and manage your Outlook account with ease by signing in

Login | Microsoft 365 - Login | Microsoft 365

Sign in to your account - Sign in to Outlook to access and manage your email efficiently

Sign in to your account - Sign in to your Microsoft 365 admin account to manage users, subscriptions, and settings

Konfigurowanie pakietu Office — Realizacja usługi Office 365 Zaloguj się przy użyciu konta Microsoft i wprowadź klucz produktu, aby rozpocząć. Aby uzyskać pomoc, przejdź do strony office.com/support

Home - Microsoft 365 Apps admin center - Sign in to configure and manage your Office settings efficiently

Sign in to your account - Sign in to access your Outlook calendar and manage your schedule efficiently

Microsoft Forms Create forms in minutes Send forms to anyone See results in real time

Microsoft 365 Apps admin center This site helps IT administrators deploy, manage, monitor and secure Microsoft 365 apps within your organization. Sign in with your Microsoft 365 admin account to get access to all of the

Mail instagram changé sans mon consentement - Instagram Bonjour, J'ai reçu un mail cette nuit (1h40 du matin Zurich) me disant que mon adresse mail relié à mon compte instagram a été changé alors que je n'ai jamais demandé ce

Problème de paiement promotion instagram - CommentCaMarche Au service de paiement Instagram il me dise que ça vient de ma banque, mais non, ce n'est pas le cas ! D'autant plus que les 3 cb sont issus de 3 Banque différents, donc ça me semble gros

Bug basculer compte à un autre - Instagram Instagram a en ce moment souvent des soucis, un autre membre peut accéder à son compte pro mais plus perso. Impossible d'en tirer de conclusion à peu près logique si ce

Instagram sur PC passer d'un compte à l'autre salut à tous, j'ai plusieurs compte insta et j'aimerais facilement passer d'un compte à l'autre SUR PC (sur téléphone c'est très simple). merci par avance ramon Windows /

Compte Instagram verrouillé et irrécupérable [Résolu] La seule solution est donc d'attendre qu'Instagram vous restitue votre compte et ne tombez pas dans le piège des utilisateurs qui vous promettent de solutionner votre problème moyennant

Code de connexion Instagram - CommentCaMarche Bonjour, je me suis connecter a instagram et la il me dit : Entrez le code de connexion à 6 chiffres d'une application d'authentification. sauf que moi je n'ai pas de code que dois-je faire?

Contattare centro assistenza Instagram: numero, email - CCM A volte potrebbe capitare di non riuscire ad accedere ad Instagram perché; l'account è stato bloccato, per problemi tecnici e così via. Cosa fare in questi

ins? - Share ~ 1 app IOS apk
instagram.com/

Instagram s'arrête systématiquement - CommentCaMarche Instagram s'arrête systématiquement Pourquoi instagram s'arrête systématiquement - Meilleures réponses Instagram se ferme tout seul - Meilleures réponses Facebook s'arrête

1412024 3 Instagram Instagram Meta 2010 10 APP
iPhone Android

Осигуряване Национална агенция за приходите Начало За бизнеса Осигуряване Социално осигуряване Здравно осигуряване Гарантирани вземания на работниците и служителите Становища,

Ново! Касови апарати, електронни През септември 2018 г. беше обнародвана Наредба за изменение и допълнение на Наредба № Н-18 от 13 декември 2006 г. за регистриране и

Related to idsa community acquired pneumonia guidelines

Pediatric Community Acquired Pneumonia: Lower Amoxicillin Dose and Shorter Duration May Be Effective (Medscape3y) Results of a gold-standard study published November 2 in JAMA hold promise for reducing the length of antibiotic courses for pediatric patients with pneumonia. In CAP-IT, 814 children who were

Pediatric Community Acquired Pneumonia: Lower Amoxicillin Dose and Shorter Duration May Be Effective (Medscape3y) Results of a gold-standard study published November 2 in JAMA hold promise for reducing the length of antibiotic courses for pediatric patients with pneumonia. In CAP-IT, 814 children who were

Rhode Island Hospital finds lack of testing for Legionella (EurekAlert!14y) PROVIDENCE, R.I.

-- A new study from Rhode Island Hospital shows that guidelines concerning testing patients for possible community-acquired pneumonia due to Legionella may underestimate the number of

Rhode Island Hospital finds lack of testing for Legionella (EurekAlert!14y) PROVIDENCE, R.I.

-- A new study from Rhode Island Hospital shows that guidelines concerning testing patients for possible community-acquired pneumonia due to Legionella may underestimate the number of

New Clinical Practice Guideline (IMAGE) (EurekAlert!4y) ATS and IDSA clinical practice guideline on community acquired pneumonia. Disclaimer: AAAS and EurekAlert! are not responsible for the accuracy of news releases posted to EurekAlert! by contributing

New Clinical Practice Guideline (IMAGE) (EurekAlert!4y) ATS and IDSA clinical practice guideline on community acquired pneumonia. Disclaimer: AAAS and EurekAlert! are not responsible for the accuracy of news releases posted to EurekAlert! by contributing

Infectious Disease Groups Publish Management Guidelines for Community-Acquired Pneumonia in Children (Becker's ASC13y) The Pediatric Infectious Diseases Society and the Infectious Diseases Society of America have released guidelines for managing community-acquired pneumonia in children, according to an Agency for

Infectious Disease Groups Publish Management Guidelines for Community-Acquired Pneumonia in Children (Becker's ASC13y) The Pediatric Infectious Diseases Society and the Infectious Diseases Society of America have released guidelines for managing community-acquired pneumonia in children, according to an Agency for

Related Articles

- [sewing patterns for stuffed animals](#)
- [the founding myths of modern israel](#)
- [180 days of reading answer key](#)

[Back to Home](#)